Request for Biologics for Juvenile Spondyloarthritis or Enthesitis Related Arthritis Exceptional Access Program (EAP)

Not for Other Inflammatory Disorders



To avoid delays, please ensure that all appropriate information for each section is provided.

Cootion 4	Dhyoid	sian Infa	rmation			Spotion 2	Dotio	nt Infor	motion			
Section 1 – Physician Infor						Section 2 – Patient Informa						
First Name		Initial	Last Name		F	irst Name		Initial	Last Name			
Street # Street Name						Ontario Health Insurance Number						
City			Postal Code			Gender Male Female Curr			Current W	urrent Weight (kg)		
Fax			Telephone (Back Line)			Date of Birth (DD/MM/YYYY)						
Request Type New Request (complete all sections) Is the patient currently taking the drug requested below? Yes - Start Date (DD/MM/YYYY)										MM/YYYY):	○ No	
Renewal Request (complete sections 3, 4B, 7) EAP # OR TFA Mechanism Previously Used												
Section 3 – Drug, Dose and Regimen Requested												
etanercept (Enbrel®) 0.4mg/kg (max 25mg) twice weekly or 0.8mg/kg (max 50mg) once weekly									Dosage			
○ inflix	kimab (R	Remicade [®])					ntenance therapy of 5 mg/kg/dose IV every 6-8 weeks				Dosing Frequency	
○ adal	(Humira [®])	< 30 kg: 20 mg \$ ≥ 30 kg: 40 mg \$										
Section 4A: Ir		Section 4B: Response to Treatment										
Diagnosis of Active JSpA/ERA						Renewal requests should demonstrate for AXIAL: 50% reduction or ≥ 2 absolute point reduction						
1. Axial JSpA	7		DR 2. Peripheral JSpA			 in BASDAI score. For PERIPHERAL: 20% reduction in active sites, and fewer enthesitis For renewals beyond the second year, objective evidence of preservation of treatment e be provided. 						
☐ Age of onset ≤ 16 AND			☐ Age of onset ≤ 16			be provided.						
Low back pain and stiffness for > 3 months that improves with exercise and not relieved by rest			AND ≥ 5 active sites of inflammation (combination of swollen/active joints and/			Clinical Marker	Requ	or-to uested l llogic	Renewal 1	Renewal 2	Renewal 3	
AND Failure of or intolerance to at least 2 NSAIDs			AND	or enthesitis sites) AND								
Failure of or intolerance to at least 2 NSAIDs tried for at least 4 weeks each			Failure or intolerance to at least one DMARD (sulfasalazine 50 mg/kg/day or methotrexate 15 mg/m²) for at least 3 months			Active Site (swollen/active	'e					
AND BASDAl score ≥ 4 after at least 4 weeks of						joints and/or enthesitis site						
NSAID therapy AND		BASDAL										
Radiographic report confirmed by:		BASDAI score										
X-ray/CT of SI Joint featuring:												
Erosions Fusion						Date (DD/MM/YYYY)						
MRI of SI Joint featuring:												
Edema Inflammation Erosions												
Section 5 – Previous NSAIDs used												
Provide details of	of use and resp	ponse to NSAI	IDs used in the pas	t								
NAME OF NSAID				Details of int		REASON FOR DISCONTINUATION tolerance, contraindication, failure at maximum dose or inadequate response must be provided						
Section 6 – DMARD trial if predominantly peripheral arthritis present or N/A ■												
DMARD						D DATE MM/YYYY) RE			RESPO	SPONSE		
Section 7	– List al	l current	medication	ns releva <u>nt</u>	t to rheu	matic di <u>a</u>	gnosis,	includi	ng dosag	e and indi	cation	
Physician Signature (Mandatory)					CPSO Number	PSO Number				Date (DD/MM/YYYY)		